

Index

Volume 34, 1981

A

Ability of desert rodents to find buried seeds, 312
Alaniz, M.A., 141
Alippe, Horacio, 48
Anderson, Jay E. 25
Andrade, J.M.S., 471
Animal agriculture (book review), 343
Application of remote sensing to prairie dog management, 218
Approach to plot sampling for canopy volume in shrub communities, 155
Artemisia tridentata, variation of monoterpenoid content among subspecies and accessions of, 380
Arthur, Louise M., 15
Arthur, W. John, 153
Assessment of vigor and production of range grasses following drought, 137
Autumn mule deer foods on heavily grazed cattle ranges in northwestern Colorado, 72

B

Bailey, A.W., 16, 19, 267
Baker, R.L., 336
Ball, Mark J., 38
Bartolome, James H. (viewpoint), 248
Bartos, D.L., 315
Baskin, C.C., 369
Baskin, J.M. 369
Baur, J.R. 144
Beason, Samuel L., 36
Beavis, W.D., 389
Bedell, Thomas E., 137
Belles, W.S., 468
Bellows, T.S., Jr., 389
Bilan, Thomas N., 239
Binary search for accuracy in plant symbols, 239
Biophysical ecology (book review), 512
Bison and cattle digestion of forages from the Slave River Lowlands, Northwest Territories, Canada, 126
Blackbrush (*Coleogyne ramosissima*) branches, diameter-length-weight relations for, 215
Blackburn, Wilbert H., 228, 331
Bluebunch wheatgrass, effects of fall clipping or burning on the distribution of chemical constituents of, 267
Bluebunch wheatgrass, effects of fall defoliation on, 16
Bluebunch wheatgrass, total nonstructural carbohydrate trends related to growth and phenology, 377
Blue grama roots, seasonal fluctuations of, 62
Bovey, R.W., 144
Bowden, David C., 149
Branson, Farrel A., 3
Britton, C.M., 30
Brock, John H., 238

Bromus japonicus

ecology of germination and flowering in, 369

Brown, M.A., 105
Brush management: principles and practices for Texas and the Southwest (book review), 256
Bryant, F.C., 193
Bowes, Gary C., 412
Buckhouse, John C., 339
Burkhardt, J. Wayne, 224
Busby, Frank E., 400
Butterfield, R. 119
Butterfield, R.I., 22

C

Cain, Brian W., 64
Cain, J. Richard, 36
Canopy volume in shrub communities, an approach to plot sampling, 155
Capacitance meter, an evaluation of its accuracy in Florida rangelands, 240
Carbohydrate reserve, phenology, and growth cycles of nine Colorado range species, 269
Caroline, Milton, 435
Cattle diets on a longleaf pine-bluestem range, 232
Chemical control of *Crupina vulgaris*, a new range weed in Idaho and the United States, 468
Ching, C.T.K., 373
Choate, Jerry R., 489
Clark, Peter R., 466
Clary, Warren P., 109
Collared peccary, food habits of on south Texas rangelands, 141
Comparative biomass and water status of four range grasses grown under two soil water conditions, 480
Comparison of continuous and rotational grazing, 19
Comparison of herbage production on moderately grazed and ungrazed western ranges, 210
Connelly, John W., 153
Conrad, P.W., 52
Continuous and rotational grazing, a comparison of, 19
Control of aspen regrowth in western Canada when there is an understory of established alfalfa, 412
Coyote control: the public response, 15
Crawford, John A., 213
Creeping bluestem, mineral content as affected by time of cutting, 406
Creeping bluestem, yield and quality as affected by time of cutting, 471
Cronin, E.H., 94, 181
Cross, B.T., 235, 340
Crupina vulgaris, a new range weed in Idaho and the United States, chemical control of, 468
Currie, Pat O., (book review), 343

D

Daer, Tom, 377
Dahl, B.E., 384
Dalsted, K.J., 218
Davis, A.M., 329
Davis, James N., 409
Dean, Sheila, 224
Deer and elk use on foothill rangelands in northeastern Oregon, 201
Deer mouse consumption of bitterbrush seed treated with four repellents, 393
Defecation rates of pronghorns relative to habitat and activity level, 278
Deloach, C.J., 446
Demography and fire history of a western juniper stand, 501
Denney, Graham, D., 152
Density and developmental stage of range caterpillar *Hemileuca oliviae* Cockerell, as affected by topographic position, 389
De regibus, V. Alej Andro, 48
Detling, J.K., 68
Developing African nations, range management training in, 11
Developing a useful, personal range science library, 159
Dewald, C.L., 300
Diameter-length-weight relations for blackbrush (*Coleogyne ramosissima*) branches, 215
Diet of pronghorn in western Kansas, 489
Diets of domestic sheep and other large herbivores in southcentral Colorado, 242
Diets of white-tailed deer from pastures in excellent and poor range condition, 193
Diet selection of hereford, angus × hereford and charolais × hereford cows and calves, 243
Differential preference of wintering mule deer for accessions of big sagebrush and for black sagebrush, 409
Digestion of forages from the Slave River Lowlands, Northwest Territories, Canada, 126
Discussion of "Application of the universal soil loss equation to rangelands on a per storm basis" by Trieste and Gifford in *Journal of Range Management* 33:66-70, 198. (viewpoint), 161
Disagreement among investment criteria-a solution to the problem, 319
Dodd, J.L. 282
Doerr, Ted B., 157
Donart, Gary B., 91
Dormaar, J.F., 62
Drought, assessment of vigor and production of range grasses following, 137
Drummond's goldenweed and its control with herbicides, 98

Dung deposition, breakdown and grazing behavior of beef cattle at two seasons in a tropical grassland ecosystem, 360

Dwyer, Don D., 11

E

Eastman, J. Nicholls, Jr., 475

Eckert, R.E., Jr. 84

Ecology of germination and flowering in the weedy winter annual grass *Bromus japonicus*, 369

Economic comparison of honey mesquite control methods with special reference to the Texas Rolling Plains, 415

Economic effects of three changes in public lands grazing policies, 373

Effect of bag location along a suspension line on nylon bag digestibility estimates in bison and cattle, 265

Effect of cattle grazing on mountain meadows in Idaho, 324

Effect of slide and frequency observation numbers on the precision of microhistological analysis, 337

Effect of strip width on helicopter censusing of deer, 36

Effects of a wet-dry seed treatment on the germination and root elongation of "Whitmar" beardless wheatgrass under various water potentials, 305

Effects of defoliation on new photosynthesis and regrowth of western wheatgrass, 68

Effects of fall clipping or burning on the distribution of chemical constituents in bluebunch wheatgrass in spring, 267

Effects of fall defoliation on the utilization of bluebunch wheatgrass and its influence on the distribution of deer in the spring, 16

Effects of increased precipitation and grazing management on northeastern Montana rangelands, 3

Effects of livestock grazing on infiltration and erosion rates measured on chained and unchained pinyon-juniper sites in southeastern Utah, 400

Effects of range improvement on Roosevelt elk winter nutrition, 184

Effects of tebuthiuron on western juniper, 30

Elk winter nutrition, effects of range improvement on, 184

Esophageal, fecal and exclosure estimates of cattle diets on a longleaf pine-bluestem range, 232

Establishing browse utilization from twig diameters, 113

Estimating twig and foliage biomass of sagebrush, bitterbrush, and rabbitbrush in the Great Basin, 224

Evans, Raymond A., 84, 501

Everett, Richard L., 393

Everitt, J.H., 141, 384, 506

F

Factors involved in estimating green biomass by canopy spectroradiance measurements, 105

Falvey, J. Lindsay, 280, 425

Felker, Peter, 466

Fenster, Charles R., 90

Fick, Walter H., 205

Firewood crops: shrub and tree species for energy production (book review), 512

Food habits of the collared peccary on south Texas rangelands, 141

Forage intake by white-tailed deer, nomographic estimation of, 74

Forage management in the north (book review), 511

Forage plantings on six Arizona pinyon-juniper subtypes, 131

Forage production on important rangeland habitat types in western Montana, 347

Forage quality of western wheatgrass exposed to sulfur dioxide, 282

Forest cover types of the United States and Canada, (book review), 512

Forest grazing: past and present, 248

Foster, D.E., 446

Foster, G.R. (viewpoint), 161

G

Ganskopp, David C., 137

Garrett, J.R., 373

Gartner, F.R., 116, 119

Germination of bluebunch wheatgrass and beardless wheatgrass temperature profiles for germination of, 84

Germination of seed of three varieties of spotted locoweed, 94

Germination requirements of lotebrush (*Ziziphus obtusifolia* var. *obtusifolia*), 365

Gesshe, R.H., 42

Gibbens, R.P., 239

Gibson, Trevor A., 425

Gifford, Gerald F., 165, 285, 357, 400

Goebel, Carl J., 305

Goetz, Harold, 154, 188

Gomm, F.B., 131, 171

Gonzalez, C.L., 141, 384, 460, 506

Grazing management and increased precipitation on northeastern Montana rangelands, effects of, 3

Grazing animal preferences for cultivated forages in Canada, 42

Grazing animals (book review), 343

Grazing systems: their influence on infiltration rates in the rolling plains of Texas, 331

Growth and phenological development of rough fescue in interior British Columbia, 455

Growth response to two saltbush species to nitrate, ammonium, and urea nitrogen added to processed oil shale, 424

Guiding a range curriculum with an educational needs assessment, 475

Guthery, Fred S., 157

H

Hammerquist-Wilson, Marcia M., 213

Hansen, Richard M., 72, 242, 243

Hanks, R.J., 307

Hawley, A.W.L., 126, 265

Heady, Harold F., 83

Heathlands and related shrublands . . .

Part A: Descriptive studies. (book review), 255

Heathlands and related shrublands Part B: Analytical studies (book review), 511

Hengmichai, Prakob, 280

Herbage capacitance meter: an evaluation of its accuracy in Florida rangelands, 240

Herbage production a water-balance, climate model for, 307

Herbage production following tree and shrub removal in the pinyon-juniper type of Arizona, 109

Herman, Daryl, 324

Hewlett, D.B., 22

Holte, Karl E., 25

Hood, Jeffrey C., 36

Holderman, Charles A., 188

Holechek, Jerry L., 76, 251, 337

Honey mesquite control methods with special reference to the Texas rolling plains, 415

Huddleston, E.W., 389

Hunter, Dennis H., 38, 240

Hyder, S.Z., 208

I

Impact of burning pinyon-juniper debris on select soil properties, 357

Increased precipitation and grazing management on northeastern Montana rangelands, effects of, 3

Increased soil water storage and herbage production from snow catch in North Dakota, 485

In-depth examination of the Philip equation for cataloging infiltration characteristics in rangeland environments, 285

Initial establishment of four species on a mine spoils, 76

Introduction to seed technology (book review), 78

Insects associated with broom snake-weed (*Xanthocephalum sarothrae*) and threadleaf snakeweeds (*Xanthocephalum microcephala*) in west Texas and eastern New Mexico, 446

In vitro digestibility among accessions of big sagebrush by wild mule deer and its relationship to monoterpenoid content, 497

Irby, Lynn R., 278

J

Jameson, Donald A., 109

Japanese brome response to atrazine in combination with nitrogen fertilizer in the mixed prairie, 22

Jaynes, Richard A., 285

Jensen, Charles H., 113

Johnsen, Thomas N. Jr., 131

Johnsen, T.N. Jr., 171

Johnson, D.A., 178

Johnson, J.R., 22

Johnson, Mark K., 232

Johnson, Terrell K., 312

Johnston, A., 62

Jolley, L.W., 297
Jorgensen, Clive D., 312

K

Kalmbacher, R.S., 406, 471
Kalinin, C., 267
Kastner, Walter W., 305
Kelsey milkvetch, toxicity and control of, 181
Kilcher, M.R., 363
Klukas, R., 218
Knight, Robert W., 339
Kosco, Barbara H. (viewpoint), 248
Krueger, William C., 184, 201
Kufeld, Roland C., 149

L

Lacey, John R., 210
Lane, L.J. (viewpoint), 161
Latigo, G.V., 141, 460
Lauenroth, W.K., 282
Lavin, Fred, 171
Laycock, W.A., 52
Lee, G.A., 468
Legee, Thomas A., 324
Lewis, J.K., 105
Livestock grazing on public lands: A viewpoint, 251
Low-energy grubbing for control of junipers 235
Lucich, Gary C., 72
Ludwig, J.A., 389
Lt Manetje (book review), 255
Lynch, Gregory W., 421

M

MacCracken, James G., 242
Maguire, James D., 305
Markhan, O. Doyle, 153
Martinez, R., 19
Martin, F.G., 400, 471
Mayeux, H.S., 98
McArthur, E. Durant, 380, 409
McDaniel, Kirk C., 102
McCarty, M.K. (book review), 256
McKell, C.M., 255, 424
McKell, C.M. (book review), 511
McLean, A., 16, 267
McLean, Alastair, 455
Menke, John W., 269
Mereszczak, Ihor M., 184
Merrill, L.B., 193
Mesquite (*Prosopis*) cuttings, rooting of, 466
Meeuwig, Richard O., 224
Meyer, R.E., 144
Microwave drying of rangeland forage samples, 426
Milchunas, D.G., 282
Miller, Reuben F., 3
Miller, Richard F., 91, 201
Mineral content in creeping bluestem as affected by time of cutting, 406
Mineral supplementation of cattle grazing improved pastures in the Thai highlands, 425
Mitchell, John E. (book review), 343
Mock, D.E., 428

Modification of an esophageal fistula plug that allows low maintenance of free-ranging sheep and goats, 152

Moen, Aaro N., 74
Mondrus-Engle, Margarita, 59
Morris, J.G., 33
Mosley, V.K., 22
Muegler, W.F., 315, 347
Muhlenbergia porteri Scribn., response to season of defoliation, 91
Mulching, furrowing, and fallowing of forage plantings on Arizona pinyon-juniper ranges, 171

N

Nabi, A.A., 259
Nass, Roger D., 421
Nicholson, Robert A., 489
Nielsen, G.A., 245
Nodulation and acetylene reduction by certain rangeland legume species under field conditions, 178
Nomographic estimation of forage intake by white-tailed deer, 74
Norton, Brien E., 475
Nylon bag digestibility estimates in bison and cattle, effect of bag location along a suspension line on, 265
Nyren, Paul E., 154

O

Olsen, John D. 181
Omaliko, C.P.E., 360
Ohlenbusch, P.D. 428
Osborn, H.B. (viewpoint), 161
Owens, J.C., 389
Oxalate, tannin, crude fiber, and crude protein composition of young plants of some *Atriplex* species, 329

P

Painter, E.L., 68
Palatability of seven *Artemesia* taxa to mule deer and sheep, 397
Pande, Hema, 480
Pearson, Erwin W., 435
Pearson, H.A., 232, 336
Peden, D.G., 126
Pederson, Jordan C., 497
Philip equation for cataloging infiltration characteristics in rangeland environments, 285
Plant development, stage of maturity and nutrient composition, 363
Plot delineation with a pin-and-chain, 336
Prairie dog management, application of remote sensing to, 218
Preliminary observations on the performance of some exotic species of *Atriplex* in Saudi Arabia, 208
Predator control in relation to livestock losses in central Texas, 435
President's remarks, 83
Prescribed burning and timber thinnings as methods to increase herbage on grazed and protected longleaf pine ranges, 494

Productivity dynamics of a native temperate grassland in Argentina, 48
Productivity and nutritive value of *Imperata cylindrica* (L.) Beauv. in the Thai highlands, 280
Provenza, Frederick D., 215
Pongpiachan, Puntipa, 280
Potential herbicides for brush control, 144
Power, J.F. 485

Q

Quinton, Dee A., 455

R

Radosevich, S.R., 33
Range claypan soil improvement: properties affecting their response to mechanical treatment, 116
Range claypan soil improvement: response from furrowing and ripping in northwestern South Dakota, 119
Rangeland seeder development using semicircular seedbox and auger seed metering concept, 340
Range management training in developing African nations, 11
Raguse, C.A., 297
Rauzi, Frank, 426
Relative palatability of seven *Artemesia* taxa to mule deer and sheep, 397
Remote sensing application to prairie dog management, 218
Renard, K.G., (viewpoint), 161
Response of bobwhites to cover changes within three grazing systems, 213
Response of *Muhlenbergia porteri* Scribn. to season of defoliation, 91
Response of western North Dakota mixed prairie to intensive clipping and five stages of development, 188
Responses of annual range grasses and legumes to comparable applications of manurial and inorganic fertilizers, 297
Responses of vegetation and cattle to various systems of grazing on seeded and native mountain rangelands in eastern Utah, 52
Reply to Foster et al. discussion of "Application of the universal soil loss equation to rangelands on a per-storm basis" by Trieste and Gifford in *Journal of Range Management* 33:66-70, 1980 (viewpoint), 165
Reynolds, H.W., 126
Richardson, Steven G., 424
Ries, R.E., 485
Rittenhouse, Larry R., 243
Rotational and continuous grazing, a comparison of, 19
Root biomass calculation using a modified counting technique, 245
Rooting of mesquite (*Prosopis*) cuttings, 466
Rootplowing, front-end stacking and seeding effects on herbaceous plant species composition, 460
Rumbaugh, M.D., 178

JOURNAL OF RANGE MANAGEMENT 34(6), November 1981

515

S

Sage grouse leks on recently disturbed sites, 153
 Sala, Osvaldo, 48
 Sand dams as a feasible water development for arid regions, 238
 Sather-Blair, S., 218
 Schafer, William M., 245
 Schirman, Roland, 45
 Schlichter, Tomas, 48
 Scholtz, Susan, 74
 Schuman, Gerald E., 426
 Schwendiman, John L., 78
 Scifres, C.J., 98, 415
 Scott, G. 384
 Scotter, George W. (book review), 344
 Seasonal fluctuations of blue grama roots and chemical characteristics, 62
 Seasonal food preferences of cattle on native range in the south Texas plains, 384
 Seasonal nutrient content in food plants of white-tailed deer on the south Texas plains, 506
 Seasonal vegetative establishment and shoot reserves of eastern gamagrass, 300
 Sediment production as influenced by livestock grazing in the Texas rolling plains, 228
 Seed production and spring seedling establishment of diffuse and spotted knapweed, 45
 Senstad, Erling, 442
 Sexon, Mark L., 489
 Sharow, Steven H., 354
 Sheehy, Dennis P., 397
 Sheep use on mountain winter range in New Mexico, 102
 Sidahmed, Ahmed, 33
 Simanton, J.R. (viewpoint), 161
 Simple and economical root washer, 154
 Sims, Phillip L., 300
 Singh, J.S., 480
 Sivils, Billie E., 238
 Skovlin, Jon M., 339
 Smith, Arthur D., 11
 Smoliak, S., 62
 Sneva, F.A., 30
 Sodium monofluoroacetate (1080): relation of its use to predation on livestock in western national forests, 1960-78, 421
 Soil ecology of a lichen heath at Spitsbergen Svalbard: effects of artificial removal of the lichen cover, 442
 Soil water storage and herbage production from snow catch in North Dakota, 485
 Sosebee, Ronald E., 205
 Spanish goats grazing chaparral, summer diet of, 33
 Spectroreflectance measurements, factor involved in estimating green biomass by canopy, 105
 Speer, Elizabeth R., 365
 Spotted locoweed, germination of seed of three varieties of spotted locoweed, 94
 Stevens, Marilyn, 149
 Stevens, Richard, 393
 Stevens, Robert E. (book review), 78

Stewart, W.L., 347
 Stout, Darryl G., 455
 Streambank erosion and ungulate grazing relationships, 339
 Stubbendieck, J., 90
 Stricklin, W.R., 126
 Succession in aspen communities following fire in western Wyoming, 315
 Summer diet of Spanish goats grazing chaparral, 33
 Survey methods for ecosystem management (book review), 256
 Swindel, Benee F., 38, 240

T

Tausch, R.J., 259
 Taylor, C.A., 193
 Taylor, Maple A., 157
 Tebuthiuron on western juniper, effects of, 30
 Temperature profiles for germination of bluebunch wheatgrass and beardless wheatgrass, 84
 Terry, W. Stephen, 240
 Tetraploid perennia teosinte seed dormancy and germination, 59
 Tiedeman, James A., 102
 Tiller length vs. tiller weight: applications to plant growth studies, 354
 Timber thinnings and prescribed burning as methods to increase herbage on grazed and protected longleaf pine ranges, 494
 Torrell, Allen, 373
 Total nonstructural carbohydrates in honey mesquite, translocation and storage of ¹⁴C-labeled, 205
 Total nonstructural carbohydrate trends in bluebunch wheatgrass related to growth and phenology, 377
 Toxicity and control of kelsey milkvetch, 181
 Translocation and storage of ¹⁴C-labeled total nonstructural carbohydrates in honey mesquite, 205
 Trieste, D.J. (viewpoint), 165
 Trlica, M.J., 269
 Tropical pasture science (book review), 255
 Tucker, R., 16

U

Ueckert, D.N., 446
 Understory biomass response to microsite and age of bedded slash pine plantations, 38
 Use and significance of pesticides in the environment (book review), 78
 Use of a profile board in sand shinnery oak communities, 157
 Utilization of bluebunch wheatgrass and its influence on the distribution of deer in spring, effects of fall defoliation on, 16
 Urness, Phillip J., 113, 215
 V

Van Poollen, H. Walt 210
 Valentine, John F., 159
 Variation in defecation rates of pronghorns relative to habitat and activity level, 278

Variation of monoterpenoid content among subspecies and accessions of *Artemisia tridentata* grown in a uniform garden, 380
 Vascular plants of continental Northwest Territories, Canada (book review), 344
 Vavra, Martin, 184, 201, 337
 Vegetation development over 25 years without grazing on sagebrush-dominated rangeland in southeastern Idaho, 25

W

Walker, John W., 243
 Waller, S.S., 105
 Walton, P.D., 19, 42
 Wattendorf, D.W., 468
 Water-balance, climate model for range herbage production, 307
 Welch, Bruce L., 380, 409, 497
 West, N.E., 259
 Western juniper, effects of tebuthiuron, 30
 Western wheatgrass, effects of defoliation on net photosynthesis and regrowth of, 68
 Western wheatgrass, forage quality of, 282
 White, E.M., 116, 119
 Whitelined sphinx moth (*Hyles lineata* (Fabricius)) larvae on rangeland vegetation, 428
 Whitson, R.E., 415
 White-tailed deer diets from pastures in excellent and poor range condition, 193
 Whyte, Richard J., 64
 Wiedeman, H.T., 235, 340
 Wight, J. Ross, 307
 Wildlife habitat on grazed or ungrazed small pond shorelines in south Texas, 64
 Willard, E. Earl, 377
 Williams, Dean E., 154
 Williams, M. Coburn, 181
 Willms, W., 16, 267
 Winter variation in nutrient and fiber content and In vitro digestibility of gambel oak (*Quercus gambelii*) and big sagebrush (*Artemisia tridentata*) from diversified sites in Colorado, 149
 Winward, A.H., 397
 Wood, M. Karl, 228, 331
 Wolters, Gale L., 494
 Wooten, Sharon (book review), 511
 Worcester, B.K., 218
 Workman, J.P., 319
 Wright, Henry A., 365

Y

Yield and quality of creeping bluestem as affected by time of cutting, 471
 Young, J.A., 84
 Young, James A., 501

Z

Zamora, Benjamin A., 155, 324
 Ziemkiewicz, P.F., 94
Ziziphus obtusifolia var. *obtusifolia*, germination requirements of, 365

Journal of Range Management

Official bimonthly publication of

Society for Range Management

Volume 34, 1981

Table of Contents

Volume 34, 1981

Number 1, January

Effects of Increased Precipitation and Grazing Management on Northeastern Montana Rangelands—*Farrel A. Branson and Reuben F. Miller*
 Range Management Training in Developing African Nations—*Arthur D. Smith and Don D. Dwyer*
 Coyote Control: the Public Response—*Louise M. Arthur*
 The Effects of Fall Defoliation on the Utilization of Bluebunch Wheatgrass and Its Influence on the Distribution of Deer in Spring—*W. Willms, A.W. Bailey, A. McLean and R. Tucker*
 A Comparison of Continuous and Rotational Grazing—*P.D. Walton*
 Japanese Brome Response to Atrazine in Combination with Nitrogen Fertilizer in the Mixed Prairie—*D.B. Hewlett, J.R. Johnson, R.I. Butterfield, and V.K. Mosley*
 Vegetation Development over 25 Years without Grazing on Sagebrush-dominated Rangeland in Southeastern Idaho—*Jay E. Anderson and Karl E. Holte*
 Effects of Tebuthiuron on Western Juniper—*C.M. Britton and F.A. Svea*
 Summer Diet of Spanish Goats Grazing Chaparral—*Ahmed E. Sidahmed, J.G. Morris, and S.R. Radosevich*
 The Effect of Strip Width on Helicopter Censusing of Deer—*Samuel L. Beasom, Jeffrey C. Hood, and J. Richard Cain*
 Understory Biomass Response to Microsite and Age of Bedded Slash Pine Plantations—*Mark J. Ball, III, Dennis H. Hunter, and Benee F. Swindel*
 Grazing Animal Preferences for Cultivated Forages in Canada—*R.H. Gesshe and P.D. Walton*
 Seed Production and Spring Seeding Establishment of Diffuse and Spotted Knapweed—*Roland Schirman*
 Productivity Dynamics of a Native Temperate Grassland in Argentina—*Osvaldo Sala, V. Alejandro Deregbus, Tomas Schlüchter, and Horacio Alippe*
 Responses of Vegetation and Cattle to Various Systems of Grazing on Seeded and Native Mountain Rangelands in Eastern Utah—*W.A. Laycock and P.W. Conrad*
 Tetraploid Perennial Teosinte Seed Dormancy and Germination—*Margarita Mondrus-Engle*
 Season Fluctuations of Blue Grama Roots and Chemical Characteristics—*J.F. Domaar, S. Smoliak, and A. Johnston*
 Wildlife Habitat on Grazed or Ungrazed Small Pond Shorelines in South Texas—*Richard J. Whyte and Brian W. Cain*
 Effects of Defoliation on Net Photosynthesis and Regrowth of Western Wheatgrass—*E.L. Painter and J.K. Detling*
 Autumn Mule Deer Foods on Heavily Grazed Cattle Ranges in Northwestern Colorado—*Gary C. Lucich and Richard M. Hansen*
 Nomographic Estimation of Forage Intake by White-tailed Deer—*Aaron N. Moen and Susan Scholtz*
 Initial Establishment of Four Species on a Mine Spoils—*Jerry L. Holechek*
 Book Reviews

Number 2, March

President's Remarks—*Harold F. Heady*
 Temperature Profiles for Germination of Bluebunch and Beardless Wheatgrasses—*J.A. Young, R.E. Eckert, Jr., and R.A. Evans*
 A Versatile Flail-Type Forage Plot Harvester—*J. Stubbendieck and Charles R. Fenster*

Response of *Muhlenbergia porteri* Scribn. to Season of Defoliation—*Richard F. Miller and Gary B. Donart* 91
 3 Germination of Seed of Three Varieties of Spotted Locoweed—*P.F. Ziemkiewicz and E.H. Cronin* 94
 11 Drummond's Goldenweed and Its Control with Herbicides—*H.S. Mayeux, Jr., and C.J. Scifres* 98
 Sheep Use on Mountain Winter Range in New Mexico—*Kirk C. McDaniel and James A. Tiedeman* 102
 Factors Involved in Estimating Green Biomass by Canopy Spectroreflectance Measurements—*S.S. Waller, M.A. Brown, and J.K. Lewis* 105
 19 Herbage Production Following Tree and Shrub Removal in the Pinyon-Juniper Type of Arizona—*Warren P. Clary and Donald A. Jameson* 109
 22 Establishing Browse Utilization from Twig Diameters—*Charles H. Jensen and Phillip J. Urness* 113
 Range Claypan Soil Improvement: Properties Affecting Their Response to Mechanical Treatment—*E.M. White and F.R. Gartner* 116
 30 Range Claypan Soil Improvement: Response from Furrowing and Ripping in Northwestern South Dakota—*E.M. White, F.R. Gartner, and R. Butterfield* 119
 33 Bison and Cattle Digestion of Forages from the Slave River Lowlands, Northwest Territories, Canada—*A.W.L. Hawley, D.G. Peden, H.W. Reynolds, and W.R. Stricklin* 126
 36 Forage Plantings on Six Arizona Pinyon-Juniper Subtypes—*Thomas N. Johnsen, Jr., and F.B. Gomm* .. 131
 42 An Assessment of Vigor and Production of Range Grasses Following Drought—*David C. Ganskopp and Thomas E. Bedell* 137
 45 Food Habits of the Collared Peccary on South Texas Rangelands—*J.H. Everitt, C.L. Gonzalez, M.A. Alaniz, and G.V. Latigo* 141
 48 Potential Herbicides for Brush Control—*R.W. Bovey, R.E. Meyer, and J.R. Baur* 144
 52 Winter Variation in Nutrient and Fiber Content and In vitro Digestibility of Gambel Oak [*Quercus gambelii*] and Big Sagebrush [*Artemisia tridentata*] from Diversified Sites in Colorado—*Roland C. Kufeld, Marilyn Stevens, and David C. Bowden* 149
 59 62 A Modification of an Esophageal Fistula Plug that Allows Low Maintenance of Free-ranging Sheep and Goats—*Graham D. Denney* 152
 64 Sage Grouse Leks on Recently Disturbed Sites—*John W. Connelly, W. John Arthur, and O. Doyle Markham* ... 153
 68 A Simple and Economical Root Washer—*Paul E. Nyren, Harold Goetz, and Dean E. Williams* 154
 72 An Approach to Plot Sampling for Canopy Volume in Shrub Communities—*Benjamin A. Zamora* 155
 74 Use of a Profile Board in Sand Shinnery Oak Communities—*Fred S. Guthery, Ted B. Doerr, and Maple A. Taylor* .. 157
 76 Developing a Useful, Personal Range Science Library—*John F. Valentine* 159
 78 Discussion of "Application of the Universal Soil Loss Equation to Rangelands on a Per-Storm Basis," by Trieste and Gifford in Journal of Range Management 33:66-70, 1980—*G.R. Foster, J.R. Simanton, K.G. Renard, L.J. Lane, and H.B. Osborn* 161
 83 Reply to Foster et al. Discussion of "Application of the Universal Soil Loss Equation to Rangelands on a Per-Storm Basis"—*D.J. Trieste and G.F. Gifford* 165
 84 Book Review 167

Number 3, May

Mulching, Furrowing, and Fallowing of Forage Plantings on Arizona Pinyon-Juniper Ranges— <i>Fred Lavin, T.N. Johnsen, Jr., and F.B. Gomm</i>	171
Nodulation and Acetylene Reduction by Certain Rangeland Legume Species under Field Conditions— <i>D.A. Johnson and M.D. Rumbaugh</i>	178
Toxicity and Control of Kelsey Milkvetch— <i>E.H. Cronin, M. Coburn Williams, and John D. Olsen</i>	181
Effects of Range Improvement on Roosevelt Elk Winter Nutrition— <i>Ihor M. Mereszczak, William C. Krueger, and Martin Vavra</i>	184
Response of Western North Dakota Mixed Prairie to Intensive Clipping and Five Stages of Development— <i>Charles A. Holdeman and Harold Goetz</i>	188
White-tailed Deer Diets from Pastures in Excellent and Poor Range Condition— <i>F.C. Bryant, C.A. Taylor, and L.B. Merrill</i>	193
Deer and Elk Use on Foothill Rangelands in Northeastern Oregon— <i>Richard F. Miller, William C. Krueger, and Martin Vavra</i>	201
Translocation and Storage of ^{14}C -labeled Total Nonstructural Carbohydrates in Honey Mesquite— <i>Walter H. Fick and Ronald E. Sosebee</i>	205
Preliminary Observations on the Performance of Some Exotic Species of <i>Atriplex</i> in Saudi Arabia— <i>S.Z. Hyder</i>	208
Comparison of Herbage Production on Moderately Grazed and Ungrazed Western Ranges— <i>John R. Lacey and H. Walt Van Poolen</i>	210
Response of Bobwhites to Cover Changes within Three Grazing Systems— <i>Marcia M. Hammerquist-Wilson and John A. Crawford</i>	213
Diameter-Length—Weight Relations for Blackbrush [<i>Coleogyne ramosissima</i>] Branches— <i>Frederick D. Provenza and Phillip J. Urness</i>	215
Application of Remote Sensing to Prairie Dog Management— <i>K.J. Dalsted, S. Sather-Blair, B.K. Worcester, and R. Klukas</i>	218
Estimating Twig and Foliage Biomass of Sagebrush, Bitterbrush, and Rabbitbrush in the Great Basin— <i>Sheila Dean, J. Wayne Burkhardt, and Richard O. Meeuwig</i>	224
Sediment Production as Influenced by Livestock Grazing in the Texas Rolling Plains— <i>M. Karl Wood and Wilbert H. Blackburn</i>	228
Esophageal, Fecal and Exclosure Estimates of Cattle Diets on a Longleaf Pine-Bluestem Range— <i>Mark K. Johnson and Henry A. Pearson</i>	232
Low-energy Grubbing for Control of Junipers— <i>H.T. Wiedeman and B.T. Cross</i>	235
Sand Dams as a Feasible Water Development for Arid Regions— <i>Billie E. Sivils and John H. Brock</i>	238
The Binary Search for Accuracy in Plant Symbols— <i>R.B. Gibbens and Thomas N. Bilan</i>	239
Herbage Capacitance Meter: an Evaluation of Its Accuracy in Florida Rangelands— <i>W. Stephen Terry, Dennis H. Hunter and Benee F. Swindel</i>	240
Diets of Domestic Sheep and Other Large Herbivores in Southcentral Colorado— <i>James G. MacCracken and Richard M. Hansen</i>	242
Diet Selection of Hereford, Angus \times Hereford and Charolais \times Hereford Cows and Calves— <i>John W. Walker, R.M. Hansen, and Larry R. Rittenhouse</i>	243
Root Biomass Calculation Using a Modified Counting Technique— <i>William M. Schafer and G.A. Nielsen</i>	245
Forest Grazing: Past and Future— <i>Barbara H. Kosco and James W. Bartolome</i>	248
Livestock Grazing Impacts on Public Lands: A Viewpoint— <i>Jerry Holechek</i>	251

Book Reviews	255
--------------------	-----

Number 4, July

Tree Age and Dominance Patterns in Great Basin Pinyon-Juniper Woodlands— <i>R.J. Tausch, N.E. West, and A.A. Nabi</i>	259
Effect of Bag Location along a Suspension Line on Nylon Bag Digestibility Estimates in Bison and Cattle— <i>A.W.L. Hawley</i>	265
Effects of Fall Clipping or Burning on the Distribution of Chemical Constituents in Bluebunch Wheatgrass in Spring— <i>W. Willms, A.W. Bailey, A. McLean, and C. Kalnin</i>	267
Carbohydrate Reserve, Phenology, and Growth Cycles of Nine Colorado Range Species— <i>John W. Menke and M.S. Trlica</i>	269
Variation in Defecation Rates of Pronghorns Relative to Habitat and Activity Level— <i>Lynn R. Irby</i>	278
The Productivity and Nutritive Value of <i>Imperata cylindrica</i> (L.) Beauvois in the Thai Highlands— <i>J. Lindsay Falvey, Prakob Hengmichai, and Puntipa Pongpiachan</i>	280
Forage Quality of Western Wheatgrass Exposed to Sulfur Dioxide— <i>D.G. Milchunas, W.K. Lauenroth, and J.L. Dodd</i>	282
An In-Depth Examination of the Phillip Equation for Cataloging Infiltration Characteristics in Rangeland Environments— <i>Richard A. Jaynes and Gerald F. Gifford</i>	285
Responses of Annual Range Grasses and Legumes to Comparable Applications of Manure and Inorganic Fertilizers— <i>L.W. Jolley and C.A. Raguse</i>	297
Seasonal Vegetative Establishment and Shoot Reserves of Eastern Gamagrass— <i>C.L. Dewald and Phillip L. Sims</i>	300
Effects of a Wet-Dry Seed Treatment on the Germination and Root Elongation of "Whitmar" Beardless Wheatgrass under Various Water Potentials— <i>Walter W. Kasner, Jr., Carl J. Goebel, and James D. Maguire</i>	305
A Water-Balance, Climate Model for Range Herbage Production— <i>J. Ross Wight and R.J. Hanks</i>	307
Ability of Desert Rodents to Find Buried Seeds— <i>Terrell K. Johnson and Clive D. Jorgensen</i>	312
Early Succession in Aspen Communities Following Fire in Western Wyoming— <i>D.L. Bartos and W.F. Muegler</i>	315
Disagreement among Investment Criteria—A Solution to the Problem— <i>John P. Workman</i>	319
Effects of Cattle Grazing on Mountain Meadows in Idaho— <i>Thomas A. Legee, Daryl J. Herman, and Benjamin Zamora</i>	324
The Oxalate, Tannin, Crude Fiber, and Crude Protein Composition of Young Plants of Some <i>Atriplex</i> Species— <i>A.M. Davis</i>	329
Grazing Systems: Their Influence on Infiltration Rates in the Rolling Plains of Texas— <i>M. Karl Wood and Wilbert H. Blackburn</i>	331
Plot Delineation with a Pin-and-Chain— <i>R.L. Baker and H.A. Pearson</i>	336
The Effect of Slide and Frequency Observation Numbers on the Precision of Microhistological Analysis— <i>Jerry L. Holechek and Martin Vavra</i>	337
Streambank Erosion and Ungulate Grazing Relationships— <i>John C. Buckhouse, Jon M. Skovlin, and Robert W. Knight</i>	339
Rangeland Seeder Development Using Semicircular Seedbox and Auger Agitator Seed Metering Concept— <i>H.T. Wiedemann and B.T. Cross</i>	340
Book Reviews	343

Number 5, September

Forage Production on Important Rangeland Habitat Types in Western Montana— <i>W.F. Mueggler and W.L. Stewart</i>	347
Tiller Length vs. Tiller Weight: Applications to Plant Growth Studies— <i>Steven H. Sharrow</i>	354
Impact of Burning Pinyon-Juniper Debris on Select Soil Properties— <i>Gerald F. Gifford</i>	357
Dung Deposition, Breakdown and Grazing Behavior of Beef Cattle at Two Seasons in a Tropical Grassland Ecosystem— <i>C.P.E. Omaliko</i>	360
Plant Development, Stage of Maturity and Nutrient Composition— <i>M.R. Kilcher</i>	363
Germination Requirements of Lotebush (<i>Ziziphus obtusifolia</i> var. <i>obtusifolia</i>)— <i>Elizabeth R. Speer and Henry A. Wright</i>	365
Ecology of Germination and Flowering in the Weedy Winter Annual Grass <i>Bromus japonicus</i> — <i>J.M. Baskin and C.C. Baskin</i>	369
The Economic Effects of Three Changes in Public Lands Grazing Policies— <i>Allen Torell, J.R. Garrett, and C.T.K. Ching</i>	373
Total Nonstructural Carbohydrate Trends in Bluebunch Wheatgrass Related to Growth and Phenology— <i>Tom Daer and E. Earl Willard</i>	377
Variation of Monoterpene Content among Subspecies and Accessions of <i>Artemisia tridentata</i> Grown in a Uniform Garden— <i>Bruce L. Welch and E. Durant McArthur</i>	380
Seasonal Food Preferences of Cattle on Native Range in the South Texas Plains— <i>J.H. Everitt, C.L. Gonzalez, G. Scott, and B.E. Dahl</i>	384
Density and Developmental Stage of Range Caterpillar <i>Hemileuca oliviae</i> Cockerell, as Affected by Topographic Position— <i>W.D. Beavis, J.C. Owens, M. Ortiz, T.S. Bellows Jr., J.A. Ludwig, E.W. Huddleston</i>	389
Deer Mouse Consumption of Bitterbrush Seed Treated with Four Repellents— <i>Richard L. Everett and Richard Stevens</i>	393
Relative Palatability of Seven <i>Artemisia</i> Taxa to Mule Deer and Sheep— <i>Dennis P. Sheehy and A.H. Winward</i>	397
Effects of Livestock Grazing on Infiltration and Erosion Rates Measured on Chained and Unchained Pinyon-Juniper Sites in Southeastern Utah— <i>Frank E. Busby and Gerald F. Gifford</i>	400
Mineral Content in Creeping Bluestem as Affected by Time of Cutting— <i>R.S. Kalmbacher and F.G. Martin</i>	406
Differential Preference of Wintering Mule Deer for Accessions of Big Sagebrush and for Black Sagebrush— <i>Bruce L. Welch, E. Durant McArthur, and James N. Davis</i>	409
Control of Aspen Regrowth in Western Canada When There Is an Understory of Established Alfalfa— <i>Gary G. Bowes</i>	412
Economic Comparison of Honey Mesquite Control Methods with Special Reference to the Texas Rolling Plains— <i>R.E. Whitson and C.J. Scifres</i>	415
Sodium Monofluoroacetate (1080): Relation of Its Use to Predation on Livestock in Western National Forests, 1960-78— <i>Gregory W. Lynch and Roger D. Nass</i>	421
Growth Response of Two Saltbush Species to Nitrate, Ammonium, and Urea Nitrogen Added to Processed Oil Shale— <i>Steven G. Richardson and C.M. McKell</i>	424

Mineral Supplementation of Cattle Grazing Improved Pastures in the Thai Highlands— <i>J. Lindsay Fahey and Trevor A. Gibson</i>	425
Microwave Drying of Rangeland Forage Samples— <i>Gerald E. Schuman and Frank Rauzi</i>	426
Whitelined Sphinx Moth [<i>Hyles lineata</i> (Fabricius)] Larvae on Rangeland Vegetation— <i>D.E. Mock and P.D. Ohlenbusch</i>	428
Book Reviews	431

Number 6, November

Predator Control in Relation to Livestock Losses in Central Texas— <i>Erwin W. Pearson and Milton Caroline</i>	435
Soil Ecology of a Lichen Heath at Spitsbergen, Svalbard: Effects of Artificial Removal of the Lichen Plant Cover— <i>Erling Sendstad</i>	442
Insects Associated with Broom Snakeweed [<i>Xanthocephalum sarotheae</i>] and Threadleaf Snakeweed [<i>Xanthocephalum microcephala</i>] in West Texas and Eastern New Mexico— <i>D.E. Foster, D.N. Ueckert, and C.J. Deloach</i>	446
Growth and Phenological Development of Rough Fescue in Interior British Columbia— <i>Darryl G. Stout, Alastair McLean, and Dee A. Quinton</i>	455
Rootplowing, Front-end Stacking, and Seeding Effects on Herbaceous Plant Species Composition— <i>C.L. Gonzalez and G.V. Latigo</i>	460
Rooting of Mesquite (<i>Prosopis</i>) Cuttings— <i>Peter Felker and Peter R. Clark</i>	466
Chemical Control of <i>Crupina vulgaris</i> , a New Range Weed in Idaho and the United States— <i>W.S. Belles, D.W. Wattenbarger, and G.A. Lee</i>	468
Yield and Quality of Creeping Bluestem as Affected by Time of Cutting— <i>R.S. Kalmbacher, F.G. Martin and J.M.S. Andrade</i>	471
Guiding a Range Curriculum with an Educational Needs Assessment— <i>Brien E. Norton and J. Nicholls Eastmond Jr.</i>	475
Comparative Biomass and Water Status of Four Range Grasses Grown under Two Soil Water Conditions— <i>Hema Pande and J.S. Singh</i>	480
Increased Soil Water Storage and Herbage Production from Snow Catch in North Dakota— <i>R.E. Ries and J.F. Power</i>	485
Diet of Pronghorn in Western Kansas— <i>Mark L. Sexton, Jerry R. Choate, and Robert A. Nicholson</i>	489
Timber Thinning and Prescribed Burning as Methods to Increase Herbage on Grazed and Protected Longleaf Pine Ranges— <i>Gale L. Wolters</i>	494
In Vitro Digestibility among Accessions of Big Sagebrush by Wild Mule Deer and Its Relationship to Monoterpene Content— <i>Bruce L. Welch and Jordan C. Pederson</i>	497
Demography and Fire History of a Western Juniper Stand— <i>James A. Young and Raymond A. Evans</i>	501
Seasonal Nutrient Content in Food Plants of White-tailed Deer on the South Texas Plains— <i>J.H. Everitt and C.L. Gonzalez</i>	506

